



BENNA RINFORZATA per escavatori
REINFORCED BUCKET for excavators
GODET RENFORCÉ pour pelles
CAZO REFORZADO para excavadoras
VERSTÄRKTIE TIEFLÖFFEL für Bagger



Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J225	FEURST FK3 TLR	ESCO U20 S
T.50 9,6 - 12,5 ton	WSR050-030	300	80	2	164	805	530	/	/	/
	WSR050-040	400	123	3	184			/	/	/
	WSR050-050	500	168	3	207			/	/	/
	WSR050-060	600	215	4	227			/	/	/
	WSR050-070	700	263	4	253			/	/	/
	WSR050-080	800	320	5	275			/	/	/
	WSR050-090	900	370	5	302			/	/	/
	WSR050-100	1000	421	5	325			/	/	/
	WSR050-110	1100	473	6	340			/	/	/
	WSR050-120	1200	525	6	360			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	<i>Material</i>	S355	S355	S355	S355	S355	HB 400	S355	S355	
Spessore	<i>Thickness</i>	6 mm	127 x 14 mm	6 mm	20 mm	8 mm	250 x 25 mm	6 mm	8 mm	


BENNA RINFORZATA per escavatori - *REINFORCED BUCKET - GODET RENFORCÉ*



Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J300	FEURST FK4 TRL	ESCO U25 S
T.55 12,6 - 16 ton	WSR055-040	400	148	3	282	935	590	/	/	/
	WSR055-050	500	203	3	306			/	/	/
	WSR055-060	600	260	3	333			/	/	/
	WSR055-070	700	325	4	384			/	/	/
	WSR055-080	800	386	4	410			/	/	/
	WSR055-090	900	448	4	436			/	/	/
	WSR055-100	1000	511	5	473			/	/	/
	WSR055-110	1100	575	5	501			/	/	/
	WSR055-120	1200	640	5	526			/	/	/
	WSR055-130	1300	706	5	566			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	<i>Material</i>	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	<i>Thickness</i>	8 mm	12 mm	8 mm	20 mm	8 mm	270 x 32 mm	8 mm	/	

Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J300	FEURST FK5 TLR	ESCO U30 S
T.60 16 - 19 ton	WSR060-040	400	170	3	323	1000	650	/	/	/
	WSR060-050	500	232	3	345			/	/	/
	WSR060-060	600	297	3	380			/	/	/
	WSR060-070	700	374	4	438			/	/	/
	WSR060-080	800	443	4	474			/	/	/
	WSR060-090	900	514	4	500			/	/	/
	WSR060-100	1000	586	5	545			/	/	/
	WSR060-110	1100	660	5	578			/	/	/
	WSR060-120	1200	734	5	610			/	/	/
	WSR060-130	1300	809	6	662			/	/	/
	WSR060-140	1400	885	6	727			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	<i>Material</i>	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	<i>Thickness</i>	8 mm	18 mm	8 mm	20 mm	8 mm	270 x 32 mm	8 mm	/	

BENNA RINFORZATA per escavatori - *REINFORCED BUCKET - GODET RENFORCÉ*




Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J350	FEURST FK5 TLR	ESCO U30 S
T.65 19 - 23 ton	WSR065-040	400	207	3	410	1085	715	/	/	/
	WSR065-050	500	283	3	428			/	/	/
	WSR065-060	600	362	3	470			/	/	/
	WSR065-070	700	443	3	529			/	/	/
	WSR065-080	800	542	4	612			/	/	/
	WSR065-090	900	628	4	636			/	/	/
	WSR065-100	1000	715	5	715			/	/	/
	WSR065-110	1100	804	5	755			/	/	/
	WSR065-120	1200	895	5	795			/	/	/
	WSR065-130	1300	986	5	835			/	/	/
	WSR065-140	1400	1079	5	874			/	/	/
	WSR065-150	1500	1171	6	934			/	/	/
	WSR065-160	1600	1265	6	989			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	Material	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	Thickness	10 mm	18 mm	8 mm	25 mm	10 mm	300 x 35 mm	8 mm	/	

Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J350	FEURST FK7 TLR	ESCO U35 S
T.66 23 - 26 ton	WSR066-050	500	325	3	520	1150	790	/	/	/
	WSR066-060	600	415	3	551			/	/	/
	WSR066-070	700	510	3	612			/	/	/
	WSR066-080	800	623	4	684			/	/	/
	WSR066-090	900	720	4	733			/	/	/
	WSR066-100	1000	820	4	772			/	/	/
	WSR066-120	1200	1026	5	908			/	/	/
	WSR066-130	1300	1130	5	931			/	/	/
	WSR066-140	1400	1237	5	983			/	/	/
	WSR066-150	1500	1343	6	1039			/	/	/
	WSR066-160	1600	1450	6	1125			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	<i>Material</i>	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	<i>Thickness</i>	10 mm	18 mm	10 mm	25 mm	10 mm	300 x 35 mm	10 mm	/	




BENNA RINFORZATA "HEY" per escavatori
REINFORCED "HEY" BUCKET for excavators - GODET RENFORCÉ "HEY" pour pelles



Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL mm	P mm	CAT J400	FEURST FK7 TLR	ESCO U35 S
T.68 26 - 31 ton	WHR068-060	600	520	3	774	1250	900	/	/	/
	WHR068-070	700	636	3	839			/	/	/
	WHR068-080	800	784	4	917			/	/	/
	WHR068-090	900	906	4	988			/	/	/
	WHR068-100	1000	1030	4	1065			/	/	/
	WHR068-120	1200	1285	5	1156			/	/	/
	WHR068-130	1300	1414	5	1223			/	/	/
	WHR068-140	1400	1546	5	1255			/	/	/
	WHR068-150	1500	1678	5	1328			/	/	/
	WHR068-160	1600	1811	6	1375			/	/	/
	WHR068-170	1700	1945	6	1435			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	Material	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	Thickness	10 mm	18 mm	10 mm	30 mm	10 mm	400 x 40 mm	12 mm	/	

Classe <i>Class</i>	Codice <i>Code</i>	L mm	Cap. SAE Lt	Denti n° <i>Teeth</i>	Peso Kg <i>Weight</i>	RL	P mm	CAT J400	FEURST FK9 TLR	ESCO U40 S
T.69 31 - 38 ton	WHR069-080	800	874	4	1027	1265	940	/	/	/
	WHR069-090	900	1014	4	1110			/	/	/
	WHR069-100	1000	1157	4	1185			/	/	/
	WHR069-120	1200	1448	5	1278			/	/	/
	WHR069-130	1300	1594	5	1343			/	/	/
	WHR069-140	1400	1742	5	1408			/	/	/
	WHR069-150	1500	1889	5	1473			/	/	/
	WHR069-160	1600	2036	6	1547			/	/	/
	WHR069-170	1700	2183	6	1615			/	/	/
	WHR069-180	1800	2330	6	1685			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	Material	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	/	
Spessore	Thickness	12 mm	20 mm	12 mm	30 mm	10 mm	400 x 40 mm	12 mm	/	

BENNA RINFORZATA "HEY" per escavatori
REINFORCED "HEY" BUCKET for excavators - GODET RENFORCÉ "HEY" pour pelles



Classe Class	Codice Code	L mm	Cap. SAE Lt	Denti n° Teeth	Peso Kg Weight	RL mm	P mm	CAT J400	FEURST FK9 TLR	ESCO U40 S
T.70 38 - 43 ton	WHR070-080	800	934	4	1202	1360	960	/	/	/
	WHR070-090	900	1081	4	1265			/	/	/
	WHR070-100	1000	1232	4	1328			/	/	/
	WHR070-120	1200	1540	5	1481			/	/	/
	WHR070-130	1300	1697	5	1544			/	/	/
	WHR070-140	1400	1857	5	1607			/	/	/
	WHR070-150	1500	2017	5	1670			/	/	/
	WHR070-160	1600	2180	6	1760			/	/	/
	WHR070-170	1700	2342	6	1823			/	/	/
	WHR070-180	1800	2506	6	1886			/	/	/
	WHR070-190	1900	2671	6	1949			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	Material	S355	S355	S355	Hardox 400	Hardox 400	HB 400	S355	N/A	
Spessore	Thickness	12 mm	20 mm	12 mm	30 mm	12 mm	400 x 40 mm	12 mm	N/A	

Classe Class	Codice Code	L mm	Cap. SAE Lt	Denti n° Teeth	Peso Kg Weight	RL mm	P mm	CAT J460	FEURST FK11 TLR	ESCO U45 S
T.75 43 - 55 ton	WHR075-120	1200	1792	4	2018	1480	1070	/	/	/
	WHR075-130	1300	1983	4	2102			/	/	/
	WHR075-140	1400	2175	4	2187			/	/	/
	WHR075-150	1500	2369	4	2272			/	/	/
	WHR075-160	1600	2563	5	2402			/	/	/
	WHR075-170	1700	2757	5	2487			/	/	/
	WHR075-180	1800	2951	5	2571			/	/	/
	WHR075-190	1900	3145	6	2702			/	/	/
	WHR075-200	2000	3340	6	2786			/	/	/
	WHR075-210	2100	3534	6	2871			/	/	/
	WHR075-220	2200	3728	6	2956			/	/	/
		1	2	3	4	5	6	7	8	
Materiale	Material	S355	S355	S355	Hardox 400	Hardox 400	Hardox 400	S355	Hardox 400	
Spessore	Thickness	12 mm	25 mm	12 mm	40 mm	15 mm	400 x 50 mm	12 mm	12 mm	